



IT-Prüfungen.de

Prüfungsvorbereitung Online



- Echte und Originale Prüfungsfragen und Antworten aus Testcenter**
- Machen Sie sich fit für Ihre berufliche Zukunft!**

<http://www.it-pruefungen.de/>

Prüfungsnummer : 1z0-050

Prüfungsname : Oracle Database 11g:
New Features for
Administrators

Version : Demo

QUESTION NO: 1

Identify the two direct sources from where SQL plans can be loaded into the SQL plan baselines. (Choose two.)

- A. Cursor cache
- B. Stored outline
- C. SQL Tuning Set
- D. Automatic Workload Repository (AWR) snapshots

Answer: A,C

QUESTION NO: 2

Which two statements about workload capture and replay operations are true? (Choose two.)

- A. The clients must be created manually on the test machines to perform more realistic testing.
- B. Restart the database in RESTRICTED mode before beginning workload replay to enable a clean state for workload replay.
- C. Restart the database in RESTRICTED mode before beginning workload capture to enable a clean state for capturing the workload.
- D. The application state of the capture system must be identical to the application state of the replay system when the workload replay begins.

Answer: C,D

QUESTION NO: 3

Which statements are true regarding the system-defined moving window baseline in Oracle Database 11g? (Choose all that apply.)

- A. It does not allow you to change the moving window size,
- B. Adaptive threshold functionalities use it by default to compute statistics.
- C. It is created by default with the window size being equal to the AWR retention time.
- D. It is created when the first snapshot is collected by the Automatic Workload Repository (AWR).

Answer: B,C

QUESTION NO: 4

Which statement describes the effect of table redefinition on the triggers attached to the table?

- A. All triggers on the table remain valid.
- B. All triggers on the table are invalidated and are automatically revalidated with the next DML execution on the table '
- C. All triggers on the table are invalidated and must be manually recompiled before the next DML execution on the table.

D. Only triggers that are affected by the changes to the structure of the table are invalidated and

Answer: B

QUESTION NO: 5

USER_DATA is a nonencrypted tablespace that contains a set of tables with data. You want to convert all existing data in the USER_DATA tablespace and the new data into the encrypted format. Which methods would you use to achieve this? (Choose all that apply.)

A. Use Data Pump to transfer the existing data to a new encrypted tablespace.

B. Use ALTER TABLE..MOVE to transfer the existing data to a new encrypted tablespace.

C. Use CREATE TABLE AS SELECT to transfer the existing data to a new encrypted tablespace.

D. Enable row movement for each table to be encrypted and then use ALTER TABLESPACE to encrypt the tablespace.

E. Encrypt the USER_DATA tablespace using the ALTER TABLESPACE statement so that all the data in the tablespace is automatically encrypted.

Answer: A,B,C

QUESTION NO: 6

Evaluate the following block of code

```
BEGIN  
  
DBMS_NETWORK_ACL_ADMIN.CREATE_ACL(  
acl => lmycompany-com-permissions.xml1  
principal => 'ACCTJvIGR1,  
is_grant => TRUE,  
privilege => 'connect');  
  
DBMS_NETWORK_ACL_ADMIN.ASSIGN_ACL(  
acl => 'mycompany-com-permissions.xml',  
host => ".mycompany.com");  
  
END;
```

What is the outcome of the above code?

- A. It produces an error because a fully qualified host name needs to be specified.
- B. It produces an error because the range of ports associated with the hosts has not been specified.
- C. It creates an access control list (ACL) with the user ACCT_MGR who gets the CONNECT and RESOLVE privileges
- D. It creates an access control list (ACL) with the user ACCT_MGR who gets the CONNECT privilege but not the RESOLVE privilege.

Answer: C

QUESTION NO: 7

Which steps are mandatory to enable Direct NFS?

1. Mount all required file systems using the kernel NFS driver.
2. Create an oranfstab file containing the attributes for each NFS server to be accessed using Direct NFS.
3. Replace the ODM library libodm11 .so_stub with libodm11 .so.

- A. 2 and 3
- B. 1 and 3
- C. 1 and 2
- D. 1, 2 and 3

Answer: B

QUESTION NO: 8

Which statements are true regarding the concept of problems and incidents in the fault diagnosability infrastructure for Oracle Database 11g? (Choose all that apply.)

- A. The problem key is the same as the incident number,
- B. Every problem has a problem key, which is a text string that describes the problem.
- C. The database makes an entry into the alert log file when problems and incidents occur.
- D. The database sends an incident alert to the Oracle Enterprise

Manager Database Home page.

E. Only the incident metadata and dumps are stored in the Automatic Diagnostic Repository (ADR).

Answer: B,C,D

QUESTION NO: 9

You are managing an Oracle Database 11 g database. You want to take a backup on tape drives of the USERS tablespace that has a single data file of 900 MB. You have tape drives of 300 MB each. To accomplish the backup, you issued the following RMAN command:

```
RMAN>BACKUP SECTION SIZE 300M TABLESPACE users;
```

What configuration should be effected to accomplish faster and optimized backups by using the above command?

A. The SBT channel must be configured, with the MAXPIECESIZE set to 300 MB.

B. The SBT channel must be configured, with the parallelism setting for the SBT device set to 3

C. The COMPATIBLE initialization parameter for the database instance must be set to at least 10.0.

D. The SBT channel must be configured, with the default parallelism setting for the SBT device set to 1.

Answer: B

QUESTION NO: 10

When executing a SQL workload, you choose to generate execution plans only, without collecting execution statistics. Which two statements describe the implications of this? (Choose two.)

- A. It produces less accurate results of the comparison analysis.
- B. It automatically calls the SQL Tuning Advisor for recommendations.
- C. It shortens the time of execution and reduces the impact on system resources
- D. Only the changes in the execution plan, and not performance regression, are detected.

Answer: A,C

QUESTION NO: 11

You are managing an Oracle Database 11 g database with the ASM storage. The database is having big file tablespaces. You want files to open faster and less memory to be used in the shared pool to manage the extent maps. What configuration would you effect to achieve your objective? (Choose all that apply.)

- A. Set the ASM compatibility attribute for the ASM disk group to 11.1.0.

B. Set the RDBMS compatibility attribute for the ASM disk group to 11.1.0.

C. Set the COMPATIBLE initialization parameter for the ASM instance to 11.1.0.

D. Set the COMPATIBLE initialization parameter for the database instance to 11.1.0.

Answer: A,D

QUESTION NO: 12

You want to take the backup of the USERS tablespace. It has a single data file of 900 MB.. You have tape drives of 300 MB each.

The SBT channel is configured for the RMAN. To accomplish the backup, you issued the following RMAN command:

```
RMAN> BACKUP SECTION SIZE 300M TABLESPACE users;
```

Which two statements are true regarding the execution of the above command? (Choose two.)

A. The backup piece size will be limited to 300 MB.

B. The operation is accomplished using the default channel available.

C. The RMAN parallelizes the backup although the parallelism is not set for a channel,

D. Three channels for the tape drive must be configured by setting

the parallelism to three.

Answer: A,B

QUESTION NO: 13

What are the advantages of variable extent size support for large ASM files? (Choose two.)

A. It improves performance in the extended cluster configuration by reading from a local copy of an extent.

B. It improves resync operations when the disk comes online after being taken offline for maintenance purposes.

C. This feature enables faster file opens because of the reduction in the amount of memory that is required to store file extents.

D. Fewer extent pointers are needed to describe the file and less memory is required to manage the extent maps in the shared pool.

Answer: C,D

QUESTION NO: 14

You plan to collect the Automatic Workload Repository (AWR) data every Monday morning for a month. You want Oracle Database to automatically create a baseline every Monday and remove the old baseline. What is the correct action to achieve this?

A. Create a repeating baseline template.

- B. Insert a finding directive for future ADDM tasks.
- C. Create and populate a SQL Tuning Set from the AWR on every Monday.
- D. Change the RETENTION setting for the AWR snapshots to 7 days on Monday.

Answer: A

QUESTION NO: 15

You installed Oracle Database 11g and are performing a manual upgrade of the Oracle9i database. As a part of the upgrade process, you execute the following script: SQL>@utlu111 i.sql

Which statement about the execution of this script is true?

- A. It must be executed from the Oracle Database 11 g environment.
- B. It must be executed only after the SYSAUXtablespace has been created.
- C. It must be executed from the environment of the database that is being upgraded
- D. It must be executed only after AUTOEXTEND is set to ON for all existing tablespaces.
- E. It must be executed from both the Oracle Database 11 g and Oracle Database 9i environments.

Answer: C