考試編碼:1Z0-067

考試名稱: Upgrade Oracle9i/10g/11g OCA to Oracle Database 12c OCP

版本: Demo

QUESTION:1

Which two statements are true about scheduling operations in a pluggable database (PDB)?

- A. Scheduler jobs for a PDB can be defined only at the container database (CDB) level.
- B. A job defined in a PDB runs only if that PDB is open.
- C. Scheduler attribute setting is performed only at the CDB level.
- D. Scheduler objects created by users can be exported or imported using Data Pump.
- E. Scheduler jobs for a PDB can be created only by common users.

Answer: C,D

QUESTION:2

A complete database backup to media is taken for your database every day. Which three actions would you take to improve backup performance?

- A. Set the backup_tape_io_slaves parameter to true.
- B. Set the dbwr io slaves parameter to a nonzero value if synchronous I/O is in use.
- C. Configure large pool if not already done.
- D. Remove the rate parameter, if specified, in the allocate channel command.
- E. Always use RMAN compression for tape backups rather than the compression provided by media manager.
- F. Always use synchronous I/O for the database.

Answer: B,D,F

Reference:http://docs.oracle.com/cd/B19306_01/backup.102/b14191/rcmtunin.htm

QUESTION:3

For which three pieces of information can you use the RMAN list command?

- A. stored scripts in the recovery catalog
- B. available archived redo log files
- C. backup sets and image copies that are obsolete
- D. backups of tablespaces
- E. backups that are marked obsolete according to the current retention policy

Answer: A,C,D

Reference:http://docs.oracle.com/cd/B19306_01/backup.102/b14192/bkup007.htm

QUESTION:4

You noticeperformancedegradation in your production Oracle 12c database. You want toknow what caused this performance difference.

Which method or feature should you use?

- A. Database Replay
- B. Automatic Database Diagnostic Monitor (ADDM) Compare Period report
- C. Active Session History (ASH) report
- D. SQL Performance Analyzer

Answer: B

Reference:http://docs.oracle.com/cd/E24628_01/server.121/e17635/tdppt_degrade.htm

QUESTION:5

Which three statements are true about a job chain?

- A. It can contain a nested chain of jobs.
- B. It can be used to implement dependency-based scheduling.
- C. It cannot invoke the same program or nested chain in multiple steps in the chain.
- D. It cannot have more than one dependency.
- E. It can be executed using event-based or time-based schedules.

Answer: A,B,E

Reference:http://docs.oracle.com/cd/B28359_01/server.111/b28310/scheduse009.htm#A D MIN12459

QUESTION:6

Because of logical corruption of data in a table, you want to recover the table from an RMAN backup to a specified point in time.

Examine the steps to recover this table from an RMAN backup:

- 1.Determine which backup contains the table that needs to be recovered.
- 2.Issue the recover table RMAN command with an auxiliary destination defined and the point in time specified.

- 3.Import the Data Pump export dump file into the auxiliary instance.
- 4.Create a Data Pump export dump file that contains the recovered table on a target database.

Identify the required steps in the correct order.

- A. 1, 4, 3
- B. 1. 2
- C. 1, 4, 3, 2
- D. 1, 2, 4

Answer: C

QUESTION:7

Examine the command:

SQL> RECOVER DATABASE USING BACKUP CONTROLFILE UNTIL CANCEL;

In which two scenarios is this command required?

- A. The current online redo log file is missing.
- B. A data file belonging to a noncritical tablespace is missing.
- C. All the control files are missing.
- D. The database backup is older than the control file backup.
- E. All the data files are missing.

Answer: A,B

QUESTION:8

Which two are prerequisites for setting up Flashback Data Archive?

- A. Fast Recovery Area should be defined.
- B. Undo retention guarantee should be enabled.
- C. Supplemental logging should be enabled.
- D. Automatic Undo Management should be enabled.
- E. All users using Flashback Data Archive should have unlimited quota on the Flashback Data Archive tablespace.
- F. The tablespace in which the Flashback Data Archive is created should have Automatic Segment Space Management (ASSM) enabled.

Answer: D,F

Reference:http://www.oracle.com/technetwork/database/focus-areas/storage/total-recall-whitepaper-171749.pdf(page 8)

QUESTION:9

The environmental variable oracle_Base is set to /u01/app/oracle and oracle_home is set to /u01/app/oracle/product/12.1.0/db 1.

You want to check the diagnostic files created as part of the Automatic Diagnostic Repository (ADR). Examine the initialization parameters set in your database.

NAMETYPEVALUE

audit_file_deststring/u01/app/oracle/admin/eml2rep/adump

background_dump_deststring

core_dump_deststring

db_create_file_deststring

db_recovery_file_deststring/u01/app/oracle/fast_recovery_area

diagnostic_deststring

What is the location of the ADR base?

- A. It is set to/u01/app/oracle/product:/12.1.0/db 1/log.
- B. It is set to /u01/app/oracle/admin/enl2r&p/adump.
- C. It is set to /u01/app/oracle.
- D. It is setto /u01/app/oracle/flash_recovery_area.

Answer: D

QUESTION:10

You want to export the pluggable database (PDB) hr pdb1 from the multitenant container database (CDB)CDB1and import it into the cdb2 CDB as the emp_pdb1 PDB.

www.exam24.net original question and answer

Examine the list of possible steps required to perform the task:

- 1.Create a PDB named emp_pdb1.
- 2.Export the hr_pdb1PDB by using the full clause.
- 3.Open the emp_pdb1PDB.
- 4.Mount the emp_pdb1PDB.
- 5.Synchronize the emp_pdb1PDB in restricted mode.
- 6. Copy the dump file to the Data Pump directory.
- 7.Create a Data Pump directory in the emp_pdb1PDB.
- 8.Import data into emp_pdb1with the full and remap clauses.
- 9.Create the same tablespaces in emp_pdb1as in hr_pdb1for new local user objects.

Identify the required steps in the correct order.

A. 2, 1, 3, 7, 6, and 8

B. 2, 1, 4, 5, 3, 7, 6, 9, and 8

C. 2, 1, 3, 7, 6, 9, and 8

D. 2, 1, 3, 5, 7, 6, and 8

Answer: C